

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name QUANTUM QUARTZ LOW SILICA CONTENT ENGINEERED STONE

Synonyms

1.2 Uses and uses advised against

Uses BENCHTOPS • CONSTRUCTION INDUSTRY • VANITIES

1.3 Details of the supplier of the product

Supplier name QUANTUM QUARTZ

Address 129 Fairford Rd, Padstow, NSW, 2211, AUSTRALIA

 Telephone
 (02) 9772 9888

 Fax
 (02) 9772 9889

 Email
 rada.b@wk.com.au

 Website
 http://www.wk.com.au

1.4 Emergency telephone numbers

Emergency (02) 9772 9888

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Not classified as a Physical Hazard

Health Hazards

Carcinogenicity: Category 1A

Specific Target Organ Toxicity (Repeated Exposure): Category 1

Environmental Hazards

Not classified as an Environmental Hazard

2.2 GHS Label elements

Signal word DANGER

Pictograms



Hazard statements

H350i May cause cancer by inhalation.

H372 Causes damage to organs through prolonged or repeated exposure.

ChemAlert.

SDS Date: 18 Apr 2023 Revision No: 1.2

Prevention statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P284 Wear respiratory protection.

Response statements

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage statements

P405 Store locked up.

Disposal statements

P501 Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

The solid product as supplied is classified as non-hazardous under normal conditions and does not present an inhalation, ingestion, skin, or eye hazard. However, dust created when the product is cut, grinded and machined may contain crystalline silica some of which may be respirable (particles small enough to go into deep parts of the lung when breathed in).

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
RECYCLED GLASS, OXIDE	65997-17-3	266-046-0	>49%
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	238-878-4	<35%
1,3-ISOBENZOFURANDIONE, POLYMER WITH 2,5-FURANDIONE AND 2,2'-OXYBIS[ETHANOL]	26123-45-5	-	<15%
ALUMINIUM HYDROXIDE	21645-51-2	244-492-7	<8%
CORUNDUM	1302-74-5	603-397-4	<2%
RUTILE (TIO2)	1317-80-2	215-282-2	<0.6%
TITANIUM DIOXIDE	13463-67-7	236-675-5	0.6%
POTASSIUM OXIDE	12136-45-7	235-227-6	<0.5%
SODIUM OXIDE	1313-59-3	215-208-9	<0.4%
CALCIUM OXIDE	1305-78-8	215-138-9	<0.2%
ADDITIVE(S)	-	-	Remainder
IRON OXIDE	1332-37-2	215-570-8	<0.2%
MAGNESIUM OXIDE	1309-48-4	215-171-9	<0.2%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye (Dust exposure) Flush gently with running water, irrigating under eyelids. Seek medical attention if irritation

develops.

Inhalation(Dust exposure) If inhaled remove from contaminated area. Apply artificial respiration if not breathing.Skin(Dust exposure) Gently flush affected areas with water. Seek medical attention if irritation develops.

Ingestion Due to product form and application, ingestion is considered unlikely.

First aid facilities Eye wash facilities and safety shower should be available, particularly when dust is generated.

4.2 Most important symptoms and effects, both acute and delayed

This material may only present a hazard if cut, sanded or drilled with dust generation. Chronic exposure to dust may result in lung fibrosis (silicosis).

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.



SDS Date: 18 Apr 2023 Revision No: 1.2

Page 2 of 7

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Dry agent, carbon dioxide, foam or water fog. Prevent contamination of drains or waterways.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Collect and reuse where possible.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Ensure material is adequately labelled and protected from physical damage. Avoid generating dust.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards *refer local state regulators

Ingredient	Reference	TWA		STEL	
ingredient	Keierence	ppm	mg/m³	ppm	mg/m³
Calcium oxide	SWA [AUS]		2		
Calcium oxide	SWA [Proposed]		1		
Emery (dust) (a)	SWA [AUS]		10		
Iron oxide fume (Fe2O3) (as Fe)	SWA [AUS]		5		
Magnesium oxide (fume)	SWA [AUS]		10		
Non-respirable fibres, inspirable dust	SWA [AUS]		2		
Quartz (respirable dust)	SWA [AUS]		0.05		
Quartz (respirable dust) (Precautionary advice)	WorkSafe VIC		0.02		
Synthetic mineral fibres, respirable fibres	SWA [AUS]		0.5 f/ml		
Titanium dioxide	SWA [AUS]		10		
Titanium dioxide (a)	SWA [AUS]		10		
Titanium dioxide (inhalable)	SWA [Proposed]		1		



SDS Date: 18 Apr 2023 Revision No: 1.2

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended. Wet cut, polish, sand, grind or drill only. Maintain dust levels below the

recommended exposure standard.

PPE

Eye / Face If cutting or sanding with potential for dust generation, wear dust-proof goggles.

Hands Wear PVC, rubber or cotton gloves when handling material to prevent skin contact.

Body Not required under normal conditions of use.

Respiratory Avoid uncontrolled dry cutting, sanding, polishing, grinding or drilling, if alterations are unavoidable use a half

face (negative pressure) mask with minimum P2/N95 particle respirator & tools which have water suppression & on tool dust extraction with H class rating. Consultation with relevant State Worksafe offices

for further details is recommended.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance COLOURED SOLID ODOURLESS Odour **Flammability** NON FLAMMABLE Flash point **NOT RELEVANT Boiling point NOT AVAILABLE Melting point NOT AVAILABLE Evaporation rate NOT AVAILABLE NOT AVAILABLE** pН **NOT AVAILABLE** Vapour density Relative density 2.2 to 2.5 INSOLUBLE Solubility (water) NOT AVAILABLE Vapour pressure **NOT RELEVANT** Upper explosion limit Lower explosion limit **NOT RELEVANT** Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature NOT AVAILABLE NOT AVAILABLE Viscosity **Explosive properties** NOT EXPLOSIVE Oxidising properties NON OXIDISING **Odour threshold** NOT AVAILABLE

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.



SDS Date: 18 Apr 2023 Revision No: 1.2

Page 4 of 7

10.5 Incompatible materials

Incompatible with strong acids (e.g. hydrochloric acid).

10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity This product is expected to be of low acute toxicity. Under normal conditions of use, adverse health effects

are not anticipated.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
ALUMINIUM HYDROXIDE	> 2000 mg/kg (rat)		> 2.3 mg/L/4hrs
TITANIUM DIOXIDE	5000 mg/kg (rat)		3.43 - 6.82 mg/L air (rat)

Skin Not classified as a skin irritant. However, dust formed during operations such as incise, grinding and

machining may result in mild irritation, rash and dermatitis.

Not classified as a skin irritant. However, dust formed during operations such as incise, grinding and Eye

machining may result in mild irritation, lacrimation and redness.

Not classified as causing skin or respiratory sensitisation. Sensitisation

Mutagenicity Not classified as a mutagen.

Carcinogenicity Adverse health effects, usually associated with long term exposure to high respirable crystalline silica quartz

dust levels are not anticipated due to product form. This product may only present a hazard if solid is cut or drilled with dust generation. Respirable crystalline silica quartz is classified as carcinogenic to humans (IARC

Group 1). Titanium dioxide is classified as possibly carcinogenic to humans (IARC Group 2B).

Reproductive Not classified as a reproductive toxin.

STOT - single

exposure

STOT - repeated exposure

Dust can be generated during cutting of the product. Dusts are mechanical irritants that may cause throat irritation.

Adverse health effects, usually associated with long term exposure to high respirable crystalline silica quartz dust levels are not anticipated due to the product form. This product may present a hazard if cut or drilled

with dust generation. CAUTION: Repeated exposure to dust may cause lung fibrosis (silicosis).

Not applicable for solids. **Aspiration**

12. ECOLOGICAL INFORMATION

12.1 Toxicity

The substance is inert and there is no evidence of significant toxicity.

12.2 Persistence and degradability

Being inorganic, the substance will not biodegrade.

12.3 Bioaccumulative potential

The substance is inert and will not be absorbed and accumulate in tissues.

12.4 Mobility in soil

A low mobility would be expected in a landfill situation.

12.5 Other adverse effects

The main component/s of this product are not anticipated to cause any adverse effects to plants or animals.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Reuse where possible. Dispose of in accordance with local regulations.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION



SDS Date: 18 Apr 2023 Revision No: 1.2

Page 5 of 7

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

Some components are listed on AIIC, or are exempt.

16. OTHER INFORMATION

Additional information

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 18 Apr 2023 Revision No: 1.2

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]



SDS Date: 18 Apr 2023

Page 7 of 7 SDS Date: 18.